

**Baler Presona, type LP 50 VH2, press force 50 t, specific press force 63 N/cm<sup>2</sup>, drive power 37 kW, plc Telemecanique TSX Micro**



The machine is in good condition, dismantled, stored and available at short notice.

**Technical data baler:**

Manufacturer Presona

Typ LP 50 VH2

Year of construction 1995

Press power main press 50 tons

Specific press force 63 N/cm<sup>2</sup>

Feed channel 1,500 x 1,100 mm

Filling volume 2,7 m<sup>3</sup>

Theoretic throughput capacity 730 m<sup>3</sup>/hour

Throughput capacity under operating conditions 340 m<sup>3</sup>/hour

Bale size 1,100 x 720 mm, length variable

Drive power 37 kW

Tying system 5-fold, vertical, fully automatic

Throughput capacity at a

bulk weight of 30 kg/cbm 8 up to 10 tons/hour

bulk weight of 50 kg/cbm 11 up to 13 tons/hour

bulk weight of 100 kg/cbm 15 up to 22 tons/hour

Bale density (paper, newspaper) 400 up to 550 kg/m<sup>3</sup>

Filling volume hydraulic oil tank 600 l

SPS controller Telemecanique TSX Micro

Operating panel Telemecanique, Mangelis

Effective transport dimensions excluding press 9,200 x 2,300 x 3,000 mm (l x w x h)

Transport weight baler 18 tons

**Condition of the baler:**

The machine was used in a cardboard factory, where only clean chads from the production were pressed. The machine is old, but because it was part of a production line, the press was constantly maintained and repaired to minimise downtime in production. The machine is in good condition,

**Baler Presona, type LP 50 VH2, press force 50 t, specific press force 63 N/cm<sup>2</sup>, drive power 37 kW, plc Telemecanique TSX Micro**

dismantled, stored and available at short notice.

**Scope of delivery:**

Only the baler will be sold.

The documentation (Manual, CE-declaration, electr./hydr.-drawings), are completely available. Inspections are possible after agreement. We will not assume liability for the given technical data and possible errors.

**Baler Presona, type LP 50 VH2, press force 50 t, specific press force 63 N/cm<sup>2</sup>, drive power 37 kW, plc Telemecanique TSX Micro**





**Baler Presona, type LP 50 VH2, press force 50 t, specific press force 63 N/cm<sup>2</sup>, drive power 37 kW, plc Telemecanique TSX Micro**



**Baler Presona, type LP 50 VH2, press force 50 t, specific press force 63 N/cm<sup>2</sup>, drive power 37 kW, plc Telemecanique TSX Micro**



**Baler Presona, type LP 50 VH2, press force 50 t, specific press force 63 N/cm<sup>2</sup>, drive power 37 kW, plc Telemecanique TSX Micro**



**Baler Presona, type LP 50 VH2, press force 50 t, specific press force 63 N/cm<sup>2</sup>, drive power 37 kW, plc Telemecanique TSX Micro**

