Emptying-, dewatering- and labels press Pühler, type MSV 300, yoc 2003, drive power 7,5 kW, diameter of the pellets approx. 300 mm

Pühler's emptying and dewatering presses are used in the beverage, food, detergent and cosmetics industries for squeezing products out of packaging and for dewatering and compacting wet labels of all kinds.

Technical data of the hydraulic emptying and draining press
Manufacturer Karl Pühler Maschinenfabrik GmbH, Bergneustadt, Germany
Type MSV 300
Year of construction 2003
Drive power 7,5 kW /400V / 50 Hz
Diameter of the pellets approx. 300 mm
Residual moisture depending on material approx. 30%

Condition of the press:
The emptying and dewatering press is ready for operation.

Possible applications:
Pühler's emptying and dewatering presses are used in the beverage, food, detergent and cosmetics industries for squeezing products out of packaging and for dewatering and compacting wet labels of all kinds.
Examples of applications are emptying and dewatering of Tera Pack, PE bottles, beverage cans, food cans, yoghurt pots, PET bottles, film tubes as well as dewatering of wet beverage labels from the bottle washing line.

Remarks:
An inspection is possible by appointment. We accept no liability for the technical specifications or any errors.

Emptying-, dewatering- and labels press Pühler, type MSV 300, yoc 2003, drive power 7,5 kW, diameter of the pellets approx. 300 mm





Emptying-, dewatering- and labels press Pühler, type MSV 300, yoc 2003, drive power 7,5 kW, diameter of the pellets approx. 300 mm







Emptying-, dewatering- and labels press Pühler, type MSV 300, yoc 2003, drive power 7,5 kW, diameter of the pellets approx. 300 mm